

basic



Removable filter holder
Portafiltro móvil



Fixed filter holder
Portafiltro fijo



Professional Thermoblock
Aluminium + Inox



3 ways solenoid. Perfect dry doses. No leaking. No over pressure. Electroválvula 3 vías. Dosis secas. No gotea. No sobrepresión.



New largest steam wand + steam tip, extra. Nuevo tubo de vapor + salida adicional vapor.



Professional steam/water tap. Closure with viton gasket. Grifo profesional vapor/agua. Cierre con junta vitón.



Mobile Filter holder
Porta-Móvil



Fixed Filter holder
Porta-Fijo

Cupwarmer.
Escaldatazas.

ABS body.
Carrocería ABS.

Inox tray.
Bandeja Inox.

Removable water tank.
Depósito de agua extraíble.

Blue leds.
Leds azules.

Visual water level.
Nivel agua visual.

Powerful steam/hot water.
Potente vapor/agua caliente.

coffee machines

Model / Modelo	dream	basic	arc	kap
Power (W) Potencia (W)	1050	1050	1050	1050
Length/height/depth (mm) Largo/alto/profundo(mm)	245x345 x280	210x310 x290	220x320 x280	260x330 x240
Water tank (liters) Depósito agua (litros)	1,3	2	2	2
Bodywork Carrocería	Aluminum Aluminio	ABS	Metal	ABS
Weight (removable/fixed arm) Kg Peso (porta móvil/fijo) Kg.	10	7	9	8

Voltaje 230V/120V	1
Voltaje 230V/120V	
Pump Pressure (20atm) Presión Bomba (20atm)	1
Coffee thermostat: Thermoblock 95° (*) Termostato café: Thermoblock 95° (*)	1
Steam thermostat 140° + Safety Thermostat Termostato vapor 140° + Termostato seguridad	1
Steam pipe protector / Cappuccino/hot water pipe Protector tubo vapor / Tubo cappuccino/agua caliente	1
Brass filter holder (Ø 58 mm) / Visual Level (*) Portafiltro latón (Ø 58 mm) / Nivel Visual (*)	1
S-1 Autoprime valve Válvula autocebado S-1	1

(*) Dream PID: Electronic thermostat / Filter holder 60mm