

dream



**Professional Thermoblock
Aluminium + Inox**



**3
YEAR
WARRANTY**
COFFEE GROUP



Aluminium tamper included.
(Ground models)
Prensacafé aluminio incluido.
(Modelos molido)



Professional steam/water tap.
Closure with viton gasket.
Grifo profesional vapor/agua.
Cierre con junta vitón.



3 ways solenoid. Perfect dry
doses. No leakaging.
No over pressure.
Made of unleaded brass +
stainless steel AISI316
Electroválvula 3 vías. Dosis secas.
No gotea.
No sobrepresión.
Fabricado en latón sin plomo +
inox AISI316



Two optional steam wand:
Traditional and "Easy".
Dos opciones de salida de vapor:
Tradicional y "Easy"



OPTION
Electronic thermostat (adjustable)
Thermal stability $\pm 1,5^{\circ}\text{C}$ /Standby
Termostato electrónico (regulable)
Estabilidad térmica $\pm 1,5^{\circ}\text{C}$ /Stand-by



↑
360° view

Colour power IIII ▶



Mobile Filter holder
Porta-Móvil



Fixed Filter holder
Porta-Fijo

Cupwarmer.
Escaldatasas.

ALUMINIUM 100%

Inox tray.
Bandeja Inox.

Removable water tank.
Depósito de agua extraíble.

Easy cleaning.
Fácil limpieza.

Handmade polished aluminium.
Aluminio pulido manualmente.

Visual water level.
Nivel agua visual.

Powerful steam/hot water.
Potente vapor/agua caliente.

Option
Electronic thermostat/stand by.
Termostato electrónico/stand by.

SCACSO

HOME / OFFICE

dream pid



Improvements over Dream Mejoras sobre Dream



colours



Polished Aluminium
(PID model)



Cloud White



Dark Black



Anthracite

MATT / MATE



Love Red



Mandarin Orange



Sun Yellow



Strawberry Gum



Chocolat



Sweet Cream



The Cow



Love is in the air

SHINING / BRILLANTE



Intense Violet



Fresh Pistachio



Kid Blue



Wood accesories

coffee machines

Model / Modelo	dream	basic	arc	kap
Power (W) Potencia (W)	1050	1050	1050	1050
Length/height/depth (mm) Largo/alto/profundo(mm)	245x345 x280	210x310 x290	220x320 x280	260x330 x240
Water tank (liters) Depósito agua (litros)	1,3	2	2	2
Bodywork Carrocería	Aluminum Aluminio	ABS	Metal	ABS
Weight (removable/fixed arm) Kg Peso (porta móvil/fijo) Kg.	10	7	9	8

Voltaje 230V/120V	1
Voltaje 230V/120V	
Pump Pressure (20atm) Presión Bomba (20atm)	1
Coffee thermostat: Thermoblock 95° (*) Termostato café: Thermoblock 95° (*)	1
Steam thermostat 140° + Safety Thermostat Termostato vapor 140° + Termostato seguridad	1
Steam pipe protector / Cappuccino/hot water pipe Protector tubo vapor / Tubo cappuccino/agua caliente	1
Brass filter holder (Ø 58 mm) / Visual Level (*) Portafiltro latón (Ø 58 mm) / Nivel Visual (*)	1
S-1 Autoprime valve Válvula autocebado S-1	1

(*) Dream PID: Electronic thermostat / Filter holder 60mm